## **Author Index for 2002**

1.	Abdelghany, Osman — Biostratigraphy (Turborotalia cunialensis/Cribrohantkenina inflata Concurrent-Range Zone, P16) of the Late Eocene Dammam Formation, west of the Northern Oman Mountains	3	209
	Aguilar, M. — see: Calonge, A., Caus, E., Bernaus, J. M. and Aguilar, M.		
	Aitchison, Jonathan C. — see: Luo, Hui, Aitchison, Jonathan C. and Wang, Yu-jing		
	Baumgartner, Peter O. — see: Beccaro, Paola, Baumgartner, Peter O., Martire, Luca		
2.	Beccaro, Paola, Baumgartner, Peter O., Martire, Luca — Radiolarian biostratigraphy of the Fonzaso Formation, Middle-Upper Jurassic, Southern Alps, Italy	S1	43
	Benjamini, C. — see: Honigstein, A., Rosenfeld, A. and Benjamini, C.		
	Bernaus, J. M. — see: Calonge, A., Caus, E., Bernaus, J. M. and Aguilar, M.		
3.	Bodergat, Anne-Marie, Ishizaki, Kunihiro, Oki, Kimihiko and Rio, Michel — Currents, civilization, or volcanism? Ostracodes as sentinels in a patchy environment: Kagoshima Bay, Japan	3	285
4.	BouDagher-Fadel, Marcelle K. — The stratigraphical relationship between planktonic and larger benthic foraminifera in Middle Miocene to Lower Pliocene carbonate facies of Sulawesi, Indonesia	2	153
5.	Calonge, A., Caus, E., Bernaus, J. M. and Aguilar, M. — Praealveolina (Foraminifera) species: a tool to date Cenomanian platform sediments	1	53
	Carter, Elizabeth S. — see: Whalen, Patricia A. and Carter, Elizabeth S.		
6.	Carter, Elizabeth S.— Introduction to Micropaleontology of Radiolarians – Proceedings of INTERRAD IX	S1	ii
7.	Carter, Elizabeth S., Whalen, Patricia A. and Mekik, Figen, Editors — Micropaleontology of Radiolarians – Proceedings of INTERRAD IX	S1	1
	Caus, E. — see: Calonge, A., Caus, E., Bernaus, J. M. and Aguilar, M.		
	Charusiri, Punya — see: Sashida, Katsuo, Salyapongse, Sirot, and Charusiri, Punya		
8.	Chiari, M., Marcucci, M. and Prela, M. — New species of Jurassic radiolarians in the sedimentary cover of ophiolites in the Mirdita area, Albania	S1	61
9	Dragastan, Ovidiu N. and Soliman, Hassan A. — Paleogene calcareous algae from Egypt	1	1
0	Dumitrica, Paulian and Zügel, Peter — Mendacastrum n. gen. and Domuzdagia n. gen., two Jurassic spherical Spumellaria (Radiolaria) with hagiastrid medullary shell	S1	23
11.	Editors, The — Ellis and Messina Catalogues Online	1	92
2	Elewa, Ashraf M. T. — Paleobiogeography of Maastrichtian to early Eocene Ostracoda of North and West Africa and the Middle East	4	391
13	El-Nakhal, Hamed A., Stephenson, Michael H. and Owens, Bernard — New Late Carboniferous - Early Permian palynological data from glacial sediments in the Kooli Formation, Republic of Yemen	3	222
	Gorican, S. — see: O'Dogherty, Luis and Gorican, S.		
	Guex, Jean — see: O'Dogherty, Luis and Guex, Jean		
	Gupta, Barun K. Sen — see: McLaughlin, Jr., Peter P., Gupta, Barun K. Sen and Krutak, Paul R.		
	Harwood, David M.— see: Tapia, Pedro M. and Harwood, David M.		
14	. Honigstein, A., Rosenfeld, A. and Benjamini, C. — Eocene ostracode faunas from the Negev, southern Israel: Taxonomy, stratigraphy and paleobiogeography	4	365
	Hull, Donna Meyerhoff — see: Pessagno, Emile A., Jr. and Hull, Donna Meyerhoff		
	Ishizaki, Kunihiro — see: Bodergat, Anne-Marie, Ishizaki, Kunihiro, Oki, Kimihiko and Rio, Michel		

Issue

Page

15. İnan, Nurdan — Laffitteina turcica (foraminifera): a new species from the Maastrichtian of Central	1	93
Anatolia (Šivas-Turkey)		
<ol> <li>İnan, Nurdan and Özgen-Erdem, Nazire — Sphaerogypsina anatolica n. sp., (Foraminifera) a new species from the Lutetian of Andwin (Kahramanmaraş-Turkey)</li> </ol>	2	206
17. Jianbing, Liu and Aitchison, Jonathan C. — Upper Paleocene radiolarians from the Yamdrok mélange, south Xizang (Tibet), China	S1	145
Koizumi, Itaru — see: Shiono, Masamichi and Koizumi, Itaru		
Krutak, Paul R. — see: McLaughlin, Jr., Peter P., Gupta, Barun K. Sen and Krutak, Paul R.		
<ol> <li>Lambert, Lance L., Wardlaw, Bruce R., Nestell, Merlynd K. and Nestell, Galina P. — Latest Guadalupian (Middle Permian) conodonts and foraminifers from West Texas</li> </ol>	4	343
<ol> <li>Luo, Hui, Aitchison, Jonathan C. and Wang, Yu-jing — Devonian (upper Emsian – lower Givetian) radiolarians from the Tanhe Formation, Nanning, Guangxi, southwest China</li> </ol>	S1	113
Marcucci, M. — see: Chiari, M., Marcucci, M. and Prela, M.		
Martire, Luca — Beccaro, Paola, Baumgartner, Peter O., Martire, Luca		
20. McLaughlin, Jr., Peter P., Gupta, Barun K. Sen and Krutak, Paul R. — In Memorium: Willem Aaldert van den Bold	3	300
Mekik, Figen - see: Carter, Elizabeth S., Whalen, Patricia A. and Mekik, Figen, Editors		
Murchey, Benita L. — see: Vishnevskaya, Valentina S. and Murchey, Benita L.		
Nestell, Galina P. — see: Lambert, Lance L., Wardlaw, Bruce R., Nestell, Merlynd K. and Nestell, Galina P.		
Nestell, Merlynd K. — see: Lambert, Lance L., Wardlaw, Bruce R., Nestell, Merlynd K. and Nestell, Galina P.		
<ol> <li>O'Dogherty, Luis and Gorican, S. — Protunuma quadriperforatus n. sp., a new species of Jurassic Radiolaria</li> </ol>	S1	35
22. O'Dogherty, Luis and Guex, Jean — Rates and pattern of evolution among Cretaceous radiolarians: relations with global paleoceanographic events	S1	1
Oki, Kimihiko — see: Bodergat, Anne-Marie, Ishizaki, Kunihiro, Oki, Kimihiko and Rio, Michel		
Owens, Bernard - see: El-Nakhal, Hamed A., Stephenson, Michael H. and Owens, Bernard		
Özgen-Erdem, Nazire — see: İnan, Nurdan and Özgen-Erdem, Nazire		
23. Özgen-Erdem, Nazire — Sirelella safranboluensis n. gen., n. sp., a foraminifer from the Lutetian of the Safranbolu Area (Northern Turkey)	1	79
24. Pessagno, Emile A., Jr. and Hull, Donna Meyerhoff — Upper Jurassic (Oxfordian) Radiolaria from the Sula Islands (East Indies): Their taxonomic, biostratigraphic, chronostratigraphic, and paleobiogeographic significance	3	229
Prela, M. — see: Chiari, M., Marcucci, M. and Prela, M.		
25. Puckett, Terry Markham — Systematics and paleobiogeography of brachycytherine Ostracoda	S2	1
Rio, Michel — see: Bodergat, Anne-Marie, Ishizaki, Kunihiro, Oki, Kimihiko and Rio, Michel		
Rosenfeld, A. — see: Honigstein, A., Rosenfeld, A. and Benjamini, C.		
Salyapongse, Sirot — see: Sashida, Katsuo, Salyapongse, Sirot, and Charusiri, Punya		
26. Sashida, Katsuo, Salyapongse, Sirot, and Charusiri, Punya—Lower Carboniferous radiolarian fauna from the Saba Yoi-Kabang Area, southernmost part of peninsular Thailand	S1	129
Schmiedl, Gerhard — see: Sperling, Michael, Weldeab, Syee, and Schmiedl, Gerhard		
27. Self-Trail, Jean M. — Trends in late Maastrichtian calcareous nannofossil distribution patterns, Western North Atlantic margin	1	31
28. Shiono, Masamichi and Koizumi, Itaru — Taxonomy of Azpeitia endoi and A. tabularis (Bacillariophyta) in Middle Miocene to Recent materials from the north and northwest Pacific Ocean	1	67
Soliman, Hassan A. — see: Dragastan, Ovidiu N. and Soliman, Hassan A.		
<ol> <li>Sperling, Michael, Weldeab, Syee, and Schmiedl, Gerhard — Drying of samples may alter foraminiferal isotopic ratios and faunistic composition</li> </ol>	1	87
Stephenson, Michael H. — see: El-Nakhal, Hamed A., Stephenson, Michael H. and Owens, Bernard		

3	273
4	303
2	177
<b>S1</b>	89
3	257
2	97
	4 2 S1

## **Subject Index for 2002**

NOTE: Names of new taxa are set in bold-face type. Numbers refer to papers listed in the author index.

Africa, North and West paleobiogeography ostracods, 12

Albania, Mirdita area Jurassic Radiolaria, 8

Algae

Acicularia robusta, 9 Niloporella, 9 Neoporella subglobosa, 9 Paleogene Egypt, 9

Atlantic, north western margin Maastrichtian nannofossils, 27

Biostratigraphy
Cretaceous, Upper
diatoms, 31
Eocene, Late
Oman Mountains, 1

Canada, northern Cretaceous, Upper diatoms, 31

Carboniferous Thailand, southernmost Radiolaria, 26 Yemen palynology, 13

Cenomanian Iberian Range foraminifera, praealyeolinids, 5

China, Tanhe Formation Devonian Radiolaria, 33

China, Tibet Paleocene Radiolaria, 17

Conodonts Jinogondolella artafrons, 18 Permian, Middle West Texas, 18

Cretaceous Radiolaria, 22 ostracods, brachycytherines, 25 Canada, northern diatoms, 31 Devonian China, Tanhe Formation Radiolaria, 33

Diatoms
Azpeitia tabularis group, 28
Cretaceous, Upper
Canada, northern, 31
Gyrosigma and Pleurosigma, 30
Miocene, middle to Recent
Pacific Ocean, northwest, 28

Dinoflagellates Neogene, Upper Morocco, 34

Egypt Paleogene algae, 9

Eocene Israel ostracods, 14 Oman Mountains biostratigraphy, 1

Foraminifera
Cenomanian
Iberian Range, 5
Cyclopeus pillaria, 4
dry samples, 29
Laffitteina turcica, 15
Lutetian
Turkey, 16
Maastrichtian
Turkey, central, 15

Middle Miocene to Lower Pliocene Indonesia, Sulawesi, 4 planktonic to benthic ratio Indonesia. Sulawesi, 4 Sirella safranboluensis, 23

Sirella safranboluensis, 23 Sphaerogypsina anatolica. 16 stable isotope analysis, 29 Turkey, north west Lutetian, 23

Germany, southern Jurassic radiolaria, 10

Iberian Range Cenomanian foraminifera, 5

Indonesia
Jurassic, Upper
Radiolaria, 24
Middle Miocene to Lower Pliocene
foraminifera, 4

Israel, southern Eocene ostracods, 14

Italy, Southern Alps Jurassic, Fonzaso Formation Radiolaria, 2

Japan, Kagoshima Bay ostracods environmental analysis, 3

Jurassic
Germany, southern
Radiolaria, 10
Radiolaria
Albania, Mirdita area, 8
Mediterranean and Japan
Radiolaria, 21
Italy, Southern Alps
Radiolaria, 2
Russia and North America
Radiolaria, 33
Turkey, southern
Radiolaria, 32
Indonesia

Lutetian
Turkey, central
foraminifera, 16
Turkey, north west
foraminifera, 23

Radiolaria, 24

Maastrichtian
Atlantic, north western margin
nannofossils, 27
Turkey, central
foraminifera, 15

Mexico, Baja California Pliensbachian (lower Jurassic) Radiolaria, 35

Middle East paleobiogeography ostracods, 12

Miocene Indonesia, Sulawesi foraminifera, 4 Pacific Ocean, northwest diatoms, 28

Morocco Neogene, Upper dinoflagellates, 34

## Subject Index for 2002, continued

Nannofossils

Maastrichtian

Atlantic, north western margin, 27

Neogene

Morocco

dinoflagellates, 34

Jurassic to Lower Cretaceous

radiolaria, 33

**Oman Mountains** 

Eocene, Late

biostratigraphy. 1

Ostracods

Acuminobrachycythere, 25

Acuminobrachycythere blufftownensis, 25 Acuminobrachycythere cussetnesis, 25

Acuminobrachycythere diminuta, 25

Acuminobrachycythere ventrolevis. 25 brachytherines

Cretaceous, Late, 25

distribution, 3

Echinocythereis agravensis, 14

Eocene

Israel, southern, 14

Japan, Kagoshima Bay

environmental analysis, 3

Krithe benjaminii, 14

Mauritsina jordanica israeliana, 14

Paijenborchella druckmani, 14

paleobiogeography

Africa and the Middle East, 12

Schizocythere guerneti, 14

Pacific Ocean, northwest

Miocene, middle to Recent

diatoms, 28

Paleobiogeography

Africa and the Middle East, 12

Paleoceanography

Cretaceous

radiolaria, 22

Paleocene

China, Tibet

Radiolaria, 17

Egypt

algae. 9

Palynology

Carboniferous, Late

Yemen, 13

Permian

West Texas

conodonts, 18

Yemen

palynology, 13

Pliensbachian (lower Jurassic)

Mexico, Baia California

Radiolaria, 35

Radiolaria

Acanthocircus kszuri. 24

Acanthocircus waigoloensis, 24

Acanthoscircus tanzinhoki, 24

Aitaum, 24

Aitaum bipartitum, 24

Aitaum vehae. 24

Archaeospongoprunum coyotensis, 35

Ares mexicoensis, 35

Bagotum funiculum, 35

Bagotum kimbroughi, 35

Bigrumpta moluccaenis, 24

Bigrumpta, 24

Bistarkum equalum, 32

Canutus bolesi, 35

Canutus diegoi, 35

Carboniferus, Lower

Thailand, southernmost, 26

Ceratoikiscum coroniferum, 33

Cretaceous

rates of evolution, 22

Crucella capaluluensis, 24

Crucella hamiltoni, 24

Crucella mirabunda, 35

Crucella taliabuensis, 24

Crucella westermanni, 24

Cyclastrum asuncionense, 35

Cyclastrum scammonense, 35

Cyclastrum veracruzense, 35

Devonian

China, Tanhe Formation, 19

Domuzdagia, 10

Domuzdagia deweveri, 10

Domuzdagiadae, 10

Droltus sanignacioensis, 35

Ducatus hipolitoensis, 35

Eucyrtidiellum? circumperforatum, 8

Grumpta, 24

Grumpta australis, 24

Grumpta sulaensis, 24 Hsuum arenaense, 35

Inrassic

Albania, Mirdita area, 8

Germany, southern, 10

Indonesia, 24

Italy, Southern Alps, 2

Mediterranean and Japan, 21

Mexico, Baja California, 35

Russia and North America, 33

Turkey, southern, 32

Katroma aurita, 35

Katroma hockacoeyensis, 32

Katroma sashidai, 32

Mendacastrum, 10

Mendacastrum aculeatum, 10

Mendacastrum baumgartneri, 10 Neorelumbra skenderbegi, 8

Orbiculiformella sanpabloensis, 35

Paleocene

China, Tibet, 17

Paronaella notabilis, 35

Paronaella shebajensis, 8

Parvicingula blowi sibirica, 33

Podocapsa abreojosensis, 35

Praehexasaturnalis merici, 32

Praeparvicingula bandaensis, 24

Prahsuum vizcainoense, 35 Protunuma quadriperforatus, 21

Religa, 35

Religa globosa, 35

Saitoum? minai, 35

Sethocapsa aitai, 8

Sethocapsa kodrai, 8

Stauracanthocircus sanraphaelensis, 35

Stichocapsa cicciona, 8 Stichocapsa devorata arctica, 33

Stichocapsa magnipora, 8

Stigmosphaerostylus cubicus, 33

Striatojaponicapsa glomerulus, 8

Theocapsomma costata, 8

Transhuum crassum, 8

Tricolocapsa formosa, 8

Trilonche xinpoensis, 33

Unuma michelei, 8

Williriedellum nodosum, 8

Russia

Jurassic to Lower Cretaceous

radiolaria, 33

Texas, West

Permian, Middle

conodonts, 18

Thailand, southernmost

Carboniferous, Lower Radiolaria, 26

Paleocene Radiolaria, 17

Turkey

Jurassic, lower Radiolaria, 32

foraminifera, 16, 23

Maastrichtian

foraminifera, 15

Van Den Bold, Willem Memorium, 20



